Review for particle model, balancing equations, neutralization and combustion test

Particle model, Balancing Equations and Mass

1. Represent the following with symbols.

	Symbol		Symbol
CO ₂	0-11-0	2 Na ₂ SO ₄	0-0-0-0-0-0
			J-J-00-000
6 Na	0000	2 Mg(OH) ₂	0-11-10-0
	00		0-0-0-0
3 O ₃	0-0-0	CH₃COOH	I-000-DA
	0-0-0		0-0

2. Represent each equation using the particle model.

3. The combustion of heptane, C_7H_{16} , produces carbon dioxide, CO_2 , and water vapour, H_2O , as indicated in the following unbalanced equation. Balance this equation.

$$C_7H_{16} + ||O_2| \rightarrow CO_2 + ||SH_2O||$$

4. A certain amount of methane (CH_4) reacts completely with 320 g of oxygen gas (O_2) to produce 220 g of carbon dioxide (CO_2) and 180 g of water (H_2O). This combustion reaction is described by the following balanced equation:

CH₄ + $20_2 \rightarrow CO_2 + H_2O$ $320 \rightarrow 270 / 80$ What is the total mass of the reactants involved in this combustion reaction? 400 - 320 = 80 80s + 320s = 40s

N

5. Balance the equations below:

a)
$$+AI + 3O_2 \rightarrow 7AI_2O_3$$

b)
$$Pb(NO_3)_2 + 2KI \rightarrow Pbl_2 + 2KNO_3$$

c)
$$Cl_2 + 2 Na \rightarrow 2NaCl$$

d)
$$2NH_3 + 3Cl_2 \rightarrow 6HCl + N_2$$

e)
$$C_2H_5OH + \frac{3}{2}O_2 \rightarrow \frac{2}{2}CO_2 + \frac{3}{2}H_2O$$

f)
$$2N_2 + 5O_2 \rightarrow 2N_2O_5$$

g)
$$C_3H_8 + 5O_2 \rightarrow 3CO_2 + 4H_2O$$

h)
$$5 \text{ HNO}_3 + P \rightarrow \text{H}_3\text{PO}_4 + \text{H}_2\text{O}$$

i)
$$Mg_3N_2 + 3H_2O \rightarrow 9MgO + 2NH_3$$

j)
$$3 \text{ FeCl}_2 + 2 \text{ Na}_3 \text{PO}_4 \rightarrow \text{Fe}_3 (\text{PO}_4)_2 + \text{ONaCl}$$

k)
$$4$$
 + 30_2 \rightarrow 2 AI₂O₃

I)
$$2 \text{ Fe } + 3H_2O \rightarrow \text{ Fe}_2O_3 + 3H_2$$

6. The reaction caused by the burning of butane in air is represented by the following equation: $2 C_4 H_{10(g)} + 13 O_{2(g)} \rightarrow 8 CO_{2(g)} + 10 H_2 O_{(g)} + Energy$

During a laboratory experiment, you react 29 g of butane (C_4H_{10}) in the presence of oxygen (O_2). You observe that 88 g of carbon dioxide (CO_2) and 45 g of water vapour (H_2O) form.

What mass of oxygen did you use in this experiment?

7. A chemical equation is a written representation of a chemical reaction. A series of chemical equations are represented below. Which of the following equations is correctly balanced?


A)
$$C_4H_{10} + 6.5 O_2 \rightarrow 4 CO_2 + 3 H_2O_3$$

B)
$$Al_2(CO_3)_3 + 6 \text{ HF} \rightarrow 6 H_2O + 3 CO_2 + 2 AlF_3$$

C)
$$2 H_3 PO_4 + 3 Mg(OH)_2 \rightarrow 3 H_2 O + Mg_3(PO_4)_2$$

(D)
$$3 \text{ Na}_2 \text{SO}_4 + 2 \text{ Al}(\text{NO}_3)_3 \rightarrow \text{Al}_2(\text{SO}_4)_3 + 6 \text{ NaNO}_3$$

8. The following figure represents the reactants and the product of the oxidation reaction of iron.



What is the balanced and simplified equation for this reaction?

A) Fe +
$$O_2 \rightarrow Fe_2O_3$$

$$+ 3 O_2 \rightarrow 2 Fe_2O_3$$

B)
$$Fe_4 + 3 O_2 \rightarrow 2 Fe_2O_3$$

(C) 4 Fe + 3 O₂
$$\rightarrow$$
 2 Fe₂O₃
D) 2 Fe₂ + 3 O₂ \rightarrow 2 Fe₂O₃

9. Lithium oxide (Li₂O) reacts with water (H₂O) to form lithium hydroxide (LiOH).

$$\text{Li}_2\text{O} + \text{H}_2\text{O} \rightarrow 2 \text{LiOH}$$

What mass of lithium oxide (Li₂O) reacts with 36.04 g of water (H₂O) to produce 95.80 g of lithium hydroxide (LtQH)?

A) 11.86 g

- D) 155.56 g
- 10. Hydrochloric acid, HCl, in one of the acids found in the stomach. Heartburn is a symptom that occurs when the stomach produces too much HCl. Heartburn can be relieved by taking an antacid. Felix is suffering from heartburn and takes an antacid made up of magnesium hydroxide. What are the products of the chemical reaction between the stomach acid and the antacid?
- A) Magnesium hydroxide and hydrogen chloride
- C) Magnesium chloride and water D) Hydrogen chloride and water
- B) Magnesium hydroxide and hydrogen chlorate
- 11. Some rocket engines use hydrogen (H₂) as fuel. The reaction which is produced is shown in the equation below. $2 H_2 + O_2 \rightarrow 2 H_2O$ What mass of water with be produced during the launch of the rocket if 80 kg of

hydrogen (H₂) burn along with 640 kg of oxygen (O₂)?

A) 680 kg

- D) 1 600 kg
- 12. The reaction involving magnesium (Mg) and hydrochloric acid (HCl) produces magnesium chloride (MgCl₂) and hydrogen gas (H₂). The balanced equation for this reaction is as follows:


 H_2 MgCl₂ Mg 2 HCl

In the laboratory, 6.00 g of magnesium (Mg) reacts with a certain amount of hydrochloric acid (HCl) to form 23.75 g of magnesium chloride (MgCl₂) and 0.50 g of hydrogen gas (H_2) .

What mass of hydrochloric acid (HCI) is needed for this reaction to occur?

A) 9.13 g

- 13. Which of the following newspaper items contradicts the law of conservation of matter?
 - A) Three tonnes of a miracle fuel combines with eight tonnes of oxygen to form one tonne of greenhouse gas and ten tonnes of water vapour."
 - B) "Scientists have finally compressed four kilograms of lead into three kilograms of gold."
 - C) "Yesterday, two water molecules were converted into two hydrogen molecules and one oxygen molecule."
 - D) "Local high school students discovered that adding 25 kJ of energy to 10 g of ice produces 10 g of water vapour."
- 14. You conducted the following experiment in the laboratory. In an Erlenmeyer flask which has a mass of 117.80 g, you combined a small amount, 1.32 g of magnesium (Mg) with 140.09 g of a weak solution of hydrochloric acid (HCl). A reaction occurred. You weighed everything after the reaction and obtained a total mass of 258.71 g.





Four students have different procedures of what they could have done differently to ensure that the mass remained the same during the reaction.

Which student's procedure would have ensured the mass remain the same?

- A) Paul thought he could have stirred the mixture while the reaction was taking place.
- B) Carol thought she could have used more concentrated acidic solution.
- (C) Sandra thought she could have sealed the Erlenmeyer flask after adding the reactants.
- D) Bob thought he could have increased the amount of magnesium used.
- 15. The molecular models below are constructed using the following symbols:







Which of the above models correctly represents the structure of a molecule of aluminum chloride (AICl₃)?

- A) Model 1
- B) Model 2
- C) Model 3
- D) Model 4

16. Which of the following sets of results can be used to verify the Law of Conservation of

Mass?					
1.	$2Mg_{(s)}$	+	O _{2(g)}	\rightarrow	2 MgO _(s)
Mass:	12 g		8 g		20 g
2.	2 Na _(s)	+	Cl _{2(g)}	\rightarrow	2 NaCl _(s) <
Mass:	4.6 g		7.0 g		11.6 g
3.	4 Fe _(s)	+	3 O _{2(g)}	\rightarrow	2 Fe ₂ O _{3(s)}
Mass:	28 g		12 g		40 g
4.	HNO _{3(aq)}	+	NaOH _(aq)	\rightarrow	$NaNO_{3(aq)} + H_2O_{(I)}$
Mass:	63 g		40 g		85 g 20 g
5.	$2 H_2O_{(I)} \rightarrow$	2 H _{2(g)}	+	O _{2(g)}	
N / ·	0 ~	1 0		Q m	

- A) 1, 3, 4 and 5 B) 2, 3, 4 and 5 C) 1, 2, 3 and 4

17. The balanced equation for a particular chemical reaction is


 $NaNO_3 + H_2SO_4 \rightarrow NaHSO_4 + HNO_3$

In the laboratory, you react 8.5 g of NaNo₃ with 9.8 g of H₂SO₄ and obtain 12.0 g of NaHSO₄ and a certain quantity of HNO₃. What is this quantity of HNO₃? 8519.8-12

Neutralization

1. What type of reaction is seen below? How do you know?

NaCl HCl + NaOH →



2. The following equation represents the reaction that occurs when a solution of hydrogen bromide is combined with a solution of lithium hydroxide:

HBr + LiOH
$$\rightarrow$$
 Product 1 + Product 2

The products are not identified in the above equation. Identify these products.

water + self H2O+ LiBr

 3. In neutralizing sulfuric acid, H₂SO₄, with caustic soda, NaOH, sodium sulfate, NA₂SO₄, and water are produced. Which equation represents this chemical reaction? (A) H₂SO₄ + 2 NaOH → Na₂SO₄ + 2 H₂O B) Na₂SO₄ + 2 H₂O → H₂SO₄ + 2 NaOH C) H₂SO₄ + NaOH → Na₂SO₄ + 2 H₂O D) Na₂SO₄ + H₂O → H₂SO₄ + 2 NaOH
 4. You find a bottle containing an unidentified liquid. By using universal indicator paper, you determine that the pH of this liquid is 11. Therefore you have to neutralize it before disposing of it. Which of the following methods can be used to neutralize the liquid? A) Add a solution of NaOH. B) Add distilled water. C) Add a solution whose pH is 5. D) Add a solution whose pH is 8.
5. Sophie analyzes the reaction between two solutions she used in an experiment. The following is a description of her work.
1. Properties Observed
SOLUTION 1 SOLUTION 2
 is a good conductor of electricity, is colourless, turns blue litmus paper red, turns cobalt chloride paper pink. 2. Preparation of Solution 3 She prepares the third solution by mixing equal amounts of solutions 1 and 2.
 3. Properties of Solution 3 is a good conductor of electricity, is colourless, does not change the colour of litmus paper, turns cobalt chloride paper pink.
Which equation precisely represents the reaction between solutions 1 and 2? A) NaOH + HCl \rightarrow NaCl + H ₂ O C) NaOH + HCl \rightarrow NaOH + HCl B) HCl + NaOH \rightarrow NaCl + H ₂ O D) NaCl + H ₂ O \rightarrow HCl + NaOH
6. The following equation : $HI_{(aq)} + KOH_{(aq)} \rightarrow KI_{(aq)} + H_2O_{(1)}$ Which reaction is represented? A) Synthesis B) Oxidation C) Precipitation D) Neutralization

7. Because of an accident involving a truck, 150 000 litres of acid spilled into a river. After removing the vehicle from the water, the emergency response team dumped a substance to neutralize the acid. Which of the following equations correctly represents the chemical reaction involved in this situation?

 $C_2H_4 + 3 O_2 \rightarrow 2 CO_2 + 2 H_2O$

(B)
$$Ca(OH)_2 + 2 HF \rightarrow CaF_2 + 2 H_2O$$

NaOH + KCl → NaCl + KOH

HBr + KI → HI + KBr

Combustion

1. What type of chemical reaction is seen below? How do you know? C7H16+O2 → CO2+H2O oxidation - existen sa reactant

2. Combustion is a chemical reaction that occurs under certain conditions. A friend shows you the three conclusions she arrived at after doing her research on forest fires: Justify each of the conclusions by using the fire triangle.

a) If the wind increases, the forest fire will also increase.

Oxidizying agent - wind blows + adds more 02,

b) Forest fires are more common in summer, when it is hot and dry, than in autumn, when it is cold and wet.

IT- temperature reached because hot odry

c) Forest fires are more likely to occur in mature forests than in young forests.

fuel: more leavess trees = to more fuel to burn

- 3. For each combustion reaction, state weather it is an example of spontaneous, rapid or slow combustion
 - a) A fire starts because of a gasoline soaked rug Sport
 - b) A scratched bike has rust on it Slow
 - c) A family is roasting marshmallows on a camp fire rapid
 - d) Stacks of hay start to burn on a hot summer day. S port
 - e) A half-eaten apple starts to turn brown after you have left it on a table for 40 minutes. Slow
 - f) A candle's wick burning rap d
 - g) a propane barbeque lights up when the gas is ignited rep &

4. Which part of the fire triangle are firefighters tackling in each of the following situations? Explain your answers.

a) Firefighters at an airport pour foam onto a pool of flammable liquid spilled by an airplane in distress.

Oxidizing agent: preventing O2 from reaching liquid b) Firefighters spray water onto the roofs and sides of two houses next to a blaze.

IT- Meventing roof from reaching It.

c) A bulldozer moves trees out of the way of a forest fire.

fuel-removing fuel-to prevent it from hurring.

- 5. On a hot and dry afternoon, some hay in a barn caught fire, but there were no external causes involved. Water was used to put out the fire. Spraying the fire with water affected one of the fire triangle components in particular. Which statement indicates both the type of combustion that caused the fire triangle component that the water affected?
 - A) Slow combustion and the water affected the fuel.
 - B) Slow combustion and the water affected the oxidizer.
 - (C) Spontaneous combustion and the water affected the ignition temperature.
 - D) Spontaneous combustion and the water affected the fuel.
- 6. When oil catches fire in a sauce pan, it should be covered with its lid to put out the fire. Why?
 - (A) the lid limits the amount of oxidizing agent.
 - B) the lid increases the activation energy
 - C) the lid lowers the ignition temperature
 - D) the lid reduces the amount of fuel
- 7. The following two actions bring about or speed up combustion.


Action 1 – Use a magnifying glass to focus the sun's ray's on a surface.

Action 2 - Revive a campfire by blowing on the glowing pieces of wood.

Which of the following choices (A, B, C or D) correctly matches the fire triangle component with each action?

	Action 1	Action 2
Α	Fuel	Fuel
В	Fuel	Oxidizing agent
С	Ignition temperature	Fuel
D)	Ignition temperature	Oxidizing agent

8. Arthur brings a burning match close to a piece of paper to light a campfire. Which of the following triangles correctly represents the situation?



- 9. Which would not be part of the fire triangle?
- A) Oxygen

C) Wood

B) Carbon dioxide

D) Fuel